



LY6501

YASHI INTERACTIVE DISPLAY 65" 4K 2/32

Datasheet

Infrared touch
65" (inches)
16:9
Antiglare! 5mm Defense Tempered Glass
0.4845 x 0.4845 mm
20 touches
Finger & Soft Pen (minimum diameter: 1mm on the middle area, 3mm on edge area)
3840 x 2160 pixel at 60Hz! 4K! 1.07 billion colors (10bit)
550cd/m ²
6000:1
178/178
2GB
32GB
6ms
2x40W PMPO
TF Card slot (Rear)
Front: 1x HDMI-IN, 1x USB 2.0 for TOUCH, 4x USB 3.0! Rear: 2x HDMI-IN, 1x VGA-IN, 1x AV Out, 1x AV in, 1x YPbPr, 1x RJ45, 2x USB 2.0, 1x USB for TOUCH, 1x Jack Audio, 1x vga audio-in, 1x S/PDIF out, 1x COM(RS232)
1503 x 860 x 58 mm!
57 Kg
118 W (3W in Standby)
Android 6.0 with Whiteboard 2.0 educational software
802.11 a/b/g/n/ac with 3 antennas, WiFi Direct (Wi-Fi Peer-to-Peer)
600x495
Wall bracket included! OPS standard interface 80-pin Intel-C
Optional mobile stand
1647 x 1022 x 218 mm
2x Soft Pen! 1x telescopic pen! 1x Remote control, 1x wall bracket
Optional OPS! Slot OPS 80 Pin Intel-C
3 years

Datasheet

FCC, CE, ROHS, IEC and ISO 9001

- Specifiche soggette a modifiche senza preavviso.
- I prodotti possono differire dalle immagini riportate.
- Tutti i marchi, nomi commerciali di prodotti e loghi usati all'interno di queste pagine sono proprietà dei rispettivi possessori.